

Date App. Received: \_\_\_\_\_  
Date Order: \_\_\_\_\_  
Date given away: \_\_\_\_\_



[www.capitalcityambucs.org](http://www.capitalcityambucs.org)

Creación de Movilidad e Independencia Para Personas con Discapacidad

## Solicitud de Triciclo Terapéutico AmTryke

(Debe ser llenado completamente por el recipiente adulto o por el padre/tutor del menor)

Nombre del Solicitante: \_\_\_\_\_ Edad: \_\_\_\_\_ Fecha de solicitud: \_\_\_\_\_  
Dirección: \_\_\_\_\_ Teléfono: \_\_\_\_\_  
Ciudad/Estado/Código postal: \_\_\_\_\_ Email: \_\_\_\_\_  
Diagnóstico: \_\_\_\_\_

### Si el solicitante es menor de 18 años

Nombre del padre/tutor: \_\_\_\_\_  
Dirección Postal: \_\_\_\_\_ Teléfono: \_\_\_\_\_  
Ciudad/Estado/Código postal: \_\_\_\_\_ Correo electrónico: \_\_\_\_\_

Nombre de contacto secundario: \_\_\_\_\_ Teléfono: \_\_\_\_\_  
Nombre del terapeuta tratante: \_\_\_\_\_  
Teléfono: \_\_\_\_\_ Correo electrónico: \_\_\_\_\_

¿Cómo se enteró sobre el triciclo terapéutico AmTryke? (Marque todo lo que corresponda)

Terapeuta  Sitio web  Miembro de AMBUCS  Otro: \_\_\_\_\_

Nombre del lugar de demostración de AmTryke: \_\_\_\_\_ Estado del lugar de demostración: \_\_\_\_\_

¿Necesita ayuda financiera para obtener el triciclo?  Sí  No

En caso afirmativo, ¿cuánto puedes pagar? \_\_\_\_\_

**Nota:** Los triciclos terapéuticos AmTryke se distribuyen en base a los fondos disponibles y la necesidad. Las colocaciones individuales de los triciclos terapéuticos AmTryke son a discreción de la sección local.

Díganos acerca del solicitante:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

- ✦ Incluyendo una foto del solicitante nos ayudará a obtener un patrocinador que le ayude a pagar por el AmTryke más rápidamente. Al incluir una foto, está dando consentimiento para que AMBUCS use la imagen y la información personal para ayudar a obtener un patrocinador.

Firma: \_\_\_\_\_ Fecha: \_\_\_\_\_

No se considerará a ningún individuo para una colocación hasta que se devuelvan las tres formas a AMBUCS: esta solicitud y la forma de renuncia (al reverso) llenados por el recipiente o tutor, así como la evaluación llenada por el terapeuta.

Por favor envíe la aplicación y la foto por correo electrónico a: OR correo a: Capital City AMBUCS  
[applications@capitalcityambucs.org](mailto:applications@capitalcityambucs.org) 7031 Evans Dr. Round Rock, Tx 78681

5/2019

# Forma de Renuncia para el Triciclo Terapéutico AmTryke

(Debe ser llenada por el recipiente adulto o el padre/tutor)

Los miembros de AMBUCS en todo el país están dedicados a la creación de oportunidades para la movilidad e independencia de las personas con discapacidad proporcionando triciclos terapéuticos AmTryke, ofreciendo becas educativas a estudiantes de terapia y haciendo diversas formas de servicio a la comunidad.

**Propósito:** El triciclo terapéutico AmTryke fue diseñado para las personas con discapacidad. Crea una sensación de libertad, desarrolla autoestima, fortalece los músculos y mejora la coordinación y la amplitud de movimiento — todo ello haciendo un ejercicio divertido.

**Conducción:** Inicialmente, el conductor puede tener dificultad girando o cambiando de dirección. Anímelo a ir hacia delante, hacia atrás y girar lentamente. Hay tres opciones de manejo para el AmTryke. En la columna frontal del triciclo encontrará dos orificios para el perno de dirección. El orificio de arriba es el de la dirección recta, el orificio de abajo permite hacer un giro de 20 grados de radio.

## Precauciones de Seguridad

- Velocidad muy rápida y giros bruscos pueden causar que el triciclo terapéutico AmTryke se vuelque.
- Siempre lleve un casco cuando ande en un Amtryke.
- Se recomienda mucho el uso de equipo protector adicional.
- Se requiere la supervisión de un adulto si el triciclo es usado por conductores muy jóvenes.
- Use precaución cerca de vehículos, piscinas y otros cuerpos de agua, colinas, callejones y entradas con bajada.
- Siempre use zapatos.
- Nunca permita más de un conductor.
- Se recomienda el uso del perno de dirección para evitar posibles sobre manejos o volcaduras.

La información contenida en este servicio no es intencionada ni implícita por National AMBUCS™, Inc. para que sea un consejo médico profesional por National AMBUCS™, Inc. Siempre busque el consejo de su médico, terapeuta u otro proveedor médico calificado antes de empezar cualquier tratamiento o cualquier pregunta que tenga con respecto a una condición médica. Nada del contenido de este servicio está destinado por National AMBUCS™, Inc. para ser diagnóstico médico y tratamiento por National AMBUCS™, Inc. o en nombre de Nacional AMBUCS™, Inc.

En ningún caso nacional AMBUCS™, Inc. será responsable por cualquier honorario directo, indirecto, incidental, consecuente, especial, ejemplar, punitivo, monetario u otros daños, lesiones personales o daños a la propiedad, multas, pagos, costos de abogado, o responsabilidad de cualquier tipo que surja de o se relacione de alguna manera a este servicio o uso del triciclo terapéutico AmTryke®, y/o el contenido o la información proporcionada en este documento.

- Al firmar a continuación estoy de acuerdo a ser fotografiado por Nacional AMBUCS™, Inc. También estoy de acuerdo que mi foto y nombre puedan utilizarse en actividades de promoción por Nacional AMBUCS y AmTryke LLC. Además otorgo Nacional AMBUCS™, Inc. la capacidad de utilizar las fotos y el nombre para propósitos de publicidad/anuncios sin compensación adicional, excepto donde esté prohibido por la ley.

Nombre del Solicitante: \_\_\_\_\_  
Dirección Postal: \_\_\_\_\_ Teléfono: \_\_\_\_\_  
Ciudad/Estado/Código: \_\_\_\_\_ Correo electrónico: \_\_\_\_\_

Si el solicitante es menor de 18 años

Nombre del tutor legal: \_\_\_\_\_  
Firma del tutor legal: \_\_\_\_\_ Fecha: \_\_\_\_\_

No se considerará a ningún individuo para una colocación hasta que se devuelvan las tres formas a AMBUCS: esta solicitud y la forma de renuncia (al reverso) llenados por el recipiente o tutor, así como la evaluación llenada por el terapeuta.

Por favor envíe la aplicación y la foto por correo electrónico a: OR correo a: Capital City AMBUCS  
[applications@capitalcityambucs.org](mailto:applications@capitalcityambucs.org) 7031 Evans Dr. Round Rock, Tx 78681



## PHOTO RELEASE FORM

I, \_\_\_\_\_, the undersigned agree that my child, \_\_\_\_\_, may be photographed by National AMBUCS™ Inc. and its subsidiary chapters. I also agree that my daughter/son's photo, name and information may be used in promotional efforts for National AMBUCS™, Inc, AmTryke®, LLC and its subsidiary chapters. I further grant National AMBUCS™, Inc and its subsidiary chapters the ability to use photos name and information for advertising/publicity purposes without additional compensation, except where prohibited by law.

\_\_\_\_\_

DATE: \_\_\_\_\_

Witness: \_\_\_\_\_

Please scan and email this application to: [applications@capitalcityambucs.org](mailto:applications@capitalcityambucs.org) OR mail to: Capital City AMBUCS\*7031 Evans Dr. Round Rock, TX 78681

This form, assessment form and tryke selection form must be received by your local chapter before placement is considered.


# Amtryke Assessment Form

(Must be filled out completely by therapist)

Recipient's Name: \_\_\_\_\_  
 Age: \_\_\_\_\_ Weight (lbs.):\* \_\_\_\_\_ Height (inches):\* \_\_\_\_\_  
 Diagnosis(es):\* \_\_\_\_\_

\*This private information is only used to help appropriately fit the rider.

RIDER'S MEASUREMENTS				
Arm Measurements (Inches)				Total Length
Left	A to B:		B to C:	
Right	A to B:		B to C:	
Trunk	A to D:			
Leg Measurements (Inches)				Total Length
Left	D to E:		E to F:	
Right	D to E:		E to F:	



A	Center of Shoulder
B	Center of Elbow
C	Center of Digit Crease
D	Center of Hip
E	Center of Knee
F	Bottom of Foot

Arm Length & Leg Length Measurements are critical to correct Amtryke Selection Sizing Chart is available online:

[www.ambucs.org/riders/wish-list/sizing-chart/](http://www.ambucs.org/riders/wish-list/sizing-chart/)

### Notes on Provided Measurements (if any):

Dominant Hand:  Left  Right

### Helmet Sizing

Size	Measurement (head circumference)
XXS	18.5" to 19.5"
XS	20.5" to 22"
S/M	22" to 23.6"
L/XL	23.6" to 25.75"

Therapist Name: \_\_\_\_\_ Is this the treating therapist?  Yes  No

Credentials: \_\_\_\_\_

Phone: \_\_\_\_\_ Email: \_\_\_\_\_

Facility Name: \_\_\_\_\_

Street Address: \_\_\_\_\_ City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_

Is this facility an Amtryke Evaluation Site?  Yes  No  Not Sure

Therapist comments concerning recipient or goals:

This request/assessment is directed to:

- Local AMBUCS Chapter Name: Capital City AMBUCS  
 National Wish List (AMBUCS Resource Center)

By signing below, you are signifying that in your professional opinion this rider would benefit from an Amtryke. You assume no liability.

Therapist Signature: \_\_\_\_\_ Date: \_\_\_\_\_

### Ship Amtryke To

Name/Facility: \_\_\_\_\_ Phone: \_\_\_\_\_  
 Street Address: \_\_\_\_\_  
 City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_

Please scan & email application & photo to:  
[applications@capitalcityambucs.org](mailto:applications@capitalcityambucs.org)

OR

mail to: Capital City AMBUCS  
 7031 Evans Dr. Round Rock, Tx 78681

Recipient's Name:

**Thanks for choosing an Amtryke therapeutic tricycle!**

In order to accommodate the widest variety of people and disabilities, Amtryke offers many tryke models and each can be customized in a variety of ways. Following the steps below will help you choose to the perfect tryke for your client from what might seem like a dizzying array of options.

Remember you can always refer to our website, [www.amtrykestore.org](http://www.amtrykestore.org), or the Amtryke catalogue for more information and product images.

**Step 1:** Fill out the first page of the Amtryke Assessment Form.

**Step 2:** Choose the way the tryke will be propelled: **Hand & Foot, Foot, or Hand**. Your choice should be based on the rider's ability and therapy goals.

**Hand & Foot** trykes improve coordination, strength and range of motion. Using all four extremities helps with weakness in any area, even general weakness, and can positively affect tone.

**Foot** trykes were developed in response to requests from therapists for a traditional tricycle for riders with special needs.

**Hand** trykes are designed for persons whose lower limbs lack function or those who need special therapy for the upper extremity.

**Step 3:** Take rider's measurements from the front of this Assessment Form and compare them to our Sizing Chart. (This will narrow the choices considerably)

**Step 4:** Choose a drive. (If it doesn't mention a choice, then ignore this step.)

Amtrykes come with two drive possibilities: **fixed** drive or **geared** drive. Tryke models have been carefully designed so the drive matches the therapeutic goals of the equipment; therefore all drives are not available on all trykes.

A **fixed** drive, commonly known as a 'fixie,' works on a mechanical level to help individuals make a full pedal rotation. The foot crank is constantly in motion for full therapeutic effect. Coasting is not possible with a positive drive; when limb motion stops, the bike does as well.

Riders of **geared** drive trykes must be able to make a complete pedal rotation on their own. This tryke is suitable for riders who need help with balance and a stable sitting position and who have the cognitive ability to steer successfully and apply the coaster brake or hand brake. The key feature of geared trykes is the ability to coast.

**Step 5:** Chose any adaptations and/or accessories needed by the rider. *Each tryke model can only be customized in the ways noted in its own model section in the Tryke Selection Forms or with the generic accessories listed below. If a customization option is not listed, it is because of design or other practical constraints in offering it on a particular model.*

<b>GENERIC ACCESSORIES</b> (not model specific)			
<b>Fun Items</b>	<input type="checkbox"/> License Plate	<input type="checkbox"/> Water Bottle w Cage	<input type="checkbox"/> Mirror
<b>Leg &amp; Foot Items</b>	<input type="checkbox"/> Foot Cups (pair): <input type="checkbox"/> Small <input type="checkbox"/> Medium	<input type="checkbox"/> Knee Adductor Strap: <input type="checkbox"/> Small <input type="checkbox"/> Large <input type="checkbox"/> Medium	<input type="checkbox"/> Pedal Block (1 = 3/8") _____ qty
<b>Hand Items</b>	<input type="checkbox"/> Variable Range of Motion Kit <i>(only for Hand &amp; Foot Cycles)</i>	<input type="checkbox"/> Wrist Wraps <i>(Includes right &amp; left)</i> <input type="checkbox"/> X-Small <input type="checkbox"/> Large <input type="checkbox"/> Small <input type="checkbox"/> Medium	<input type="checkbox"/> Wrist Brace Mitt: <input type="checkbox"/> Right <input type="checkbox"/> Left <input type="checkbox"/> XX-Small <input type="checkbox"/> Medium <input type="checkbox"/> X-Small <input type="checkbox"/> Small

Please scan & email application & photo to:  
[applications@capitalcityambucs.org](mailto:applications@capitalcityambucs.org)

OR

mail to: Capital City AMBUCS  
7031 Evans Dr. Round Rock, Tx 78681

Recipient's Name: \_\_\_\_\_

## FOOT TRYKES

**1410 FOOT TRYKE** – (10" wheels, fixed drive) **50-FC-0100** Arm Length 12-20", Leg Length 15-21"

**NEW: Standard with Rear Steering (can convert to push bar) and safety flag**

Option #1 – Standard Seating System: Blue Bucket Seat

Option #2 – Alternate Seating System: Snappy Seat System

Snappy Seat Accessories:  Notched Seat Bottom Cushion\*  Laterals  Head Rest  
 Notched Wide Bottom Cushion\*  XL Seat Back\*\*

Option #3 – Alternate Seating System: OLD Blue Bucket Seat\*\*

*(Less expensive option for very small riders. **Cannot** be used with an H-Harness or Separator Cube.)*

1410 Accessories:  Separator Cube  Pull/Steering Bar  H-Harness - 11.5"  
 Heavy-Duty Push Bar –for use with notched seats

**1412 ProSeries FOOT TRYKE** (12" wheels, fixed drive) – **50-FC-1412** Arm Length 16-24", Leg Length 23-28"

**NEW: Standard with Rear Steering (can convert to push bar), Medium Pommel Saddle Seat and safety flag**

Option #1 – Standard Seating System: Medium Pommel Saddle Seat/1600 Simple Seatback

Seat Bottom Alternates:  Bench Seat  Large Pommel Saddle Seat  Saddle Seat  Skinny Saddle Seat (8.5x6")

Option #2 – Alternate Seating System: 1400 ProSeries Seat Back System (push grip, backpad, med. pommel & 2 laterals)

Seat Bottom Alternates:  Bench Seat  Large Pommel Saddle Seat  Saddle Seat  Skinny Saddle Seat (8.5x6")

Trunk Support Options:  ProSeries Full Padded Back  ProSeries Head Rest  ProSeries Lumbar Pad  
 Recumbent 10 Degree Seat Post

Option #3 – Alternate Seating System: Gray Bucket Seat

Option #4 – Alternate Seating System: Snappy Seat System *(too small for many 1412 riders; check seat measurements.)*

Snappy Seat Accessories:  Notched Seat Bottom Cushion\*  Laterals  Head Rest  
 Notched Wide Bottom Cushion\*  XL Seat Back\*\*  Separator Cube

1412 Accessories:  Pull/Steering Bar  Pedal Toe Pulley  H-Harness - 11.5"  
 Solid Tires  Front Hand Brake Kit (cannot be used with Rear Steering)  
 ½" Expanding Pedals  Hi-Rise Handlebars:  5" (BMX)  8"  ½" Exercise Pedals  
 Heavy-Duty Push Bar  Knee Separator:  2"  5"  9" Extender Tube

\*cannot be used in conjunction with rear steering. \*\*cannot be used in conjunction with an h-harness, head rest or laterals.

**NEW! High Functioning Set Up** (Both Options Allow Coasting) Can be used with 1416, 1420, 1420XL

*(Rider must have the ability to steer, apply brake and make a complete pedal rotation on their own.)*

Comes Standard with Pommel Saddle Seat (1412 – M; 1416 & 1420 – L), 1600 Simple Seat Back, Hi-Rise Handlebars, Exercise pedals and safety flag. **MUST** choose Option 1 or 2.

Choose Tryke:  1416  1420  1420XL

**Option #1:** (switch to existing freewheel hub and add Disk Brake Kit - *necessary* for safety) Adds the ability to coast

Dual Hand Brake (Option 1 only)

**Option #2:** (3-Speed Kit and coaster brake) Adds the ability to coast and switch gears for hilly terrain – *Replaces the 1600 Series*

Standard Seating System (for either option): Pommel Saddle Seat/1600 Simple Seat Back

Seat Bottom Alternates:  Bench Seat  Tractor Seat with bracket  Regular Saddle (11x9")  
 Medium Saddle (10.5x10")  Large Saddle (13x12")

Adaptive Accessories:  ½" Expanding Pedals  Telescoping Loop Handlebars  1400 Seat Back Set (w/ laterals)

Please scan & email application & photo to:  
[applications@capitalcityambucs.org](mailto:applications@capitalcityambucs.org)

OR

mail to: Capital City AMBUCS  
7031 Evans Dr. Round Rock, Tx 78681

Recipient's Name:

## FOOT TRYKES

<input type="checkbox"/> <b>1416 ProSeries FOOT TRYKE</b> (16" wheels, fixed or freewheel drive) – <b>50-FC-1416</b> Arm Length 16-24", Leg Length 26-32" <b>NEW: Standard with Medium Pommel Saddle Seat and safety flag</b>			
<input type="checkbox"/> Option #1 – Standard Seating System: 1400 ProSeries Seat Back System (push grip, backpad, med. pommel & 2 laterals) Seat Bottom Alternates: <input type="checkbox"/> Bench Seat <input type="checkbox"/> Tractor Seat with bracket <input type="checkbox"/> Large Pommel Saddle Seat <input type="checkbox"/> Saddle Seat Trunk Support Options: <input type="checkbox"/> ProSeries Full Padded Back <input type="checkbox"/> ProSeries Head Rest <input type="checkbox"/> ProSeries Lumbar Pad <input type="checkbox"/> Recumbent 10 Degree Seat Post			
<input type="checkbox"/> Option #2 – Alternate Seating System: Medium Pommel Saddle Seat/1600 Simple Seat Back Seat Bottom Alternates: <input type="checkbox"/> Bench Seat <input type="checkbox"/> Tractor Seat with bracket <input type="checkbox"/> Large Pommel Saddle Seat <input type="checkbox"/> Saddle Seat			
<input type="checkbox"/> Option #3 – Alternate Seating System: Gray Bucket Seat			
1416 Accessories:			
<input type="checkbox"/> Pull/Steering Bar	<input type="checkbox"/> Pedal Toe Pulley	<input type="checkbox"/> H-Harness - 11.5"	
<input type="checkbox"/> Rear Steering Kit	<input type="checkbox"/> Calf & Leg Supports	<input type="checkbox"/> ½" Exercise Pedals	
	<input type="checkbox"/> Hi-Rise Handlebars: <input type="checkbox"/> 8" <input type="checkbox"/> 12"	<input type="checkbox"/> Solid Tires	
<input type="checkbox"/> Heavy-Duty Push Bar	<input type="checkbox"/> Knee Separator: <input type="checkbox"/> 2" <input type="checkbox"/> 5"	<input type="checkbox"/> 9" extender tube	

<input type="checkbox"/> <b>1420 ProSeries FOOT TRYKE</b> (20" wheels, fixed or freewheel drive) – <b>50-FC-1420</b> Arm Length 20-30", Leg Length 29-35" <b>NEW: Standard with Large Pommel Saddle Seat and safety flag</b>			
<input type="checkbox"/> Option #1 – Standard Seating System: 1400 ProSeries Seat Back System (push grip, backpad, large pommel & 2 laterals) Seat Bottom Alternates: <input type="checkbox"/> Bench Seat <input type="checkbox"/> Tractor Seat w/ bracket <input type="checkbox"/> Medium Pommel Saddle Seat <input type="checkbox"/> Saddle Seat Trunk Support Options: <input type="checkbox"/> ProSeries Head Rest <input type="checkbox"/> ProSeries Full Padded Back <input type="checkbox"/> ProSeries Lumbar Pad <input type="checkbox"/> Recumbent 10 Degree Seat Post			
<input type="checkbox"/> Option #2 – Alternate Seating System: Large Pommel Saddle Seat/1600 Simple Seatback Seat Bottom Alternates: <input type="checkbox"/> Bench Seat <input type="checkbox"/> Tractor Seat w/ bracket <input type="checkbox"/> Medium Pommel Saddle Seat <input type="checkbox"/> Saddle Seat			
<input type="checkbox"/> Option #3 – Alternate Seating System: Gray Bucket Seat			
1420 Accessories:			
<input type="checkbox"/> Pull/Steering Bar	<input type="checkbox"/> Pedal Toe Pulley	<input type="checkbox"/> H-Harness - 11.5"	
<input type="checkbox"/> Rear Steering Kit	<input type="checkbox"/> Calf & Leg Supports	<input type="checkbox"/> ½" Exercise Pedals	
	<input type="checkbox"/> 12" Hi-Rise Handlebars	<input type="checkbox"/> Solid Tires	
<input type="checkbox"/> Heavy-Duty Push Bar	<input type="checkbox"/> Knee Separator: <input type="checkbox"/> 2" <input type="checkbox"/> 5"	<input type="checkbox"/> 9" extender tube	

<input type="checkbox"/> <b>1420XL ProSeries FOOT TRYKE</b> (20" wheels, fixed/freewheel drive) – <b>50-FC-1420-XL</b> Arm Lgth 22-34", Leg Lgth 30-45" <b>NEW: Standard with Large Pommel Saddle Seat and safety flag</b>			
<input type="checkbox"/> Option #1 – Standard Seating System: 1400 ProSeries Seat Back System (push grip, backpad, large pommel & 2 laterals) Seat Bottom Alternates: <input type="checkbox"/> Bench Seat <input type="checkbox"/> Tractor Seat w/ bracket <input type="checkbox"/> Medium Pommel Saddle Seat <input type="checkbox"/> Saddle Seat Trunk Support Options: <input type="checkbox"/> ProSeries Head Rest <input type="checkbox"/> ProSeries Full Padded Back <input type="checkbox"/> ProSeries Lumbar Pad <input type="checkbox"/> Recumbent 10 Degree Seat Post			
<input type="checkbox"/> Option #2 – Alternate Seating System: Large Pommel Saddle Seat/1600 Simple Seat Back Seat Bottom Alternates: <input type="checkbox"/> Bench Seat <input type="checkbox"/> Tractor Seat w/ bracket <input type="checkbox"/> Medium Pommel Saddle Seat <input type="checkbox"/> Saddle Seat			
<input type="checkbox"/> Option #3 – Alternate Seating System: Large Wheelchair Seat Wheelchair Seat Accessories: <input type="checkbox"/> Wheelchair Seat Bar Ends <input type="checkbox"/> Swing Away Arms			
1420 XL Accessories:			
<input type="checkbox"/> Pull/Steering Bar	<input type="checkbox"/> Toe Pedal Pulley	<input type="checkbox"/> H-Harness - 11.5"	
<input type="checkbox"/> Rear Steering Kit	<input type="checkbox"/> Calf & Leg Supports	<input type="checkbox"/> ½" Exercise Pedals	
	<input type="checkbox"/> Hi-Rise Handlebars <input type="checkbox"/> 12" <input type="checkbox"/> 23"		
<input type="checkbox"/> Heavy-Duty Push Bar	<input type="checkbox"/> Knee Separator: <input type="checkbox"/> 2" <input type="checkbox"/> 5"	<input type="checkbox"/> 9" extender tube	

Please scan & email application & photo to:  
[applications@capitalcityambucs.org](mailto:applications@capitalcityambucs.org)

OR

mail to: Capital City AMBUCS  
7031 Evans Dr. Round Rock, Tx 78681

Recipient's Name:

## FOOT TRYKES

<input type="checkbox"/> <b>JT-2000 FOOT TRYKE</b> (Recumbent 14-Speed) – <b>50-FC-2000</b> (advanced riders only) Arm Length 20-28", Leg Length 30-41"				
JT-2000 Accessories:	<input type="checkbox"/> Exercise Pedals	<input type="checkbox"/> XL Exercise Pedals	<input type="checkbox"/> Expanding Pedals	<input type="checkbox"/> Digital Speedometer
	<input type="checkbox"/> Dual Hand Brake	<input type="checkbox"/> Toe Clips	<input type="checkbox"/> Basket	<input type="checkbox"/> Rearview Mirror

<input type="checkbox"/> <b>JT-2300-USS FOOT TRYKE</b> (Recumbent 14-Speed with <b>Under Seat Steering</b> ) – <b>50-FC-2300-USS</b> (advanced riders only) Arm Length 20-28", Leg Length 30-41"				
JT-2300-USS Accessories:	<input type="checkbox"/> Exercise Pedals	<input type="checkbox"/> XL Exercise Pedals	<input type="checkbox"/> Expanding Pedals	<input type="checkbox"/> Digital Speedometer
	<input type="checkbox"/> Dual Hand Brake	<input type="checkbox"/> Toe Clips	<input type="checkbox"/> Basket	<input type="checkbox"/> Rearview Mirror

<input type="checkbox"/> <b>TP-3000 TADPOLE FOOT TRYKE</b> (Recumbent 21-Speed) – <b>50-FC-3000</b> (advanced riders only) Arm Length 17-29", Leg Length 36-45"				
Tadpole Accessories:	<input type="checkbox"/> Exercise Pedals	<input type="checkbox"/> XL Exercise Pedals	<input type="checkbox"/> Expanding Pedals	
	<input type="checkbox"/> Dual Hand Brake	<input type="checkbox"/> Toe Clips	<input type="checkbox"/> Rearview Mirror	

Therapist Assembly Notes or Comments (if any):

Please scan & email application & photo to:  
[applications@capitalcityambucs.org](mailto:applications@capitalcityambucs.org)

OR

mail to: Capital City AMBUCS  
7031 Evans Dr. Round Rock, Tx 78681



Recipient's Name:	
-------------------	--

## HAND TRYKES

<input type="checkbox"/> <b>AM-10 HAND TRYKE</b> (12" wheels, 2.5" crank arms & permanent foot platform) <b>50-HFC-0105</b> Arm length 13-17" <b>New: Now standard with Rear Steering (converts to push bar by inserting pin) and safety flag.</b>									
<input type="checkbox"/> Option #1 – Standard Seating System: Blue Bucket Seat									
<input type="checkbox"/> Option #2 – Upgraded Seating System: Snappy Seat System Snappy Seat Accessories: <table style="width:100%; border:none;"> <tr> <td><input type="checkbox"/> Notched Seat Bottom Cushion*</td> <td><input type="checkbox"/> Laterals</td> <td><input type="checkbox"/> Head Rest</td> </tr> <tr> <td><input type="checkbox"/> Notched Wide Bottom Cushion*</td> <td><input type="checkbox"/> XL Seat Back**</td> <td></td> </tr> </table>				<input type="checkbox"/> Notched Seat Bottom Cushion*	<input type="checkbox"/> Laterals	<input type="checkbox"/> Head Rest	<input type="checkbox"/> Notched Wide Bottom Cushion*	<input type="checkbox"/> XL Seat Back**	
<input type="checkbox"/> Notched Seat Bottom Cushion*	<input type="checkbox"/> Laterals	<input type="checkbox"/> Head Rest							
<input type="checkbox"/> Notched Wide Bottom Cushion*	<input type="checkbox"/> XL Seat Back**								
AM-10 Accessories:	<input type="checkbox"/> Vertical Hand Grips	<input type="checkbox"/> Pull/Steering Bar	<input type="checkbox"/> H-Harness - 11.5"						
	<input type="checkbox"/> Heavy Duty Push Bar ( <i>notched seats</i> )		<input type="checkbox"/> Separator Cube						

<input type="checkbox"/> <b>AM-12Small HAND TRYKE</b> (12" wheels, 3" crank arms & permanent foot platform) <b>50-HFC-0110</b> Arm length 15-20" <b>New: Now standard with Saddle Seat, Rear Steering (converts to push bar by inserting pin) and safety flag.</b>									
<input type="checkbox"/> Option #1 – Standard Seating System: Saddle Seat & 1600 Simple Seat Back									
<input type="checkbox"/> Option #2 – Upgraded Seating System: Snappy Seat System Snappy Seat Accessories: <table style="width:100%; border:none;"> <tr> <td><input type="checkbox"/> Notched Seat Bottom Cushion*</td> <td><input type="checkbox"/> Laterals</td> <td><input type="checkbox"/> Head Rest</td> </tr> <tr> <td><input type="checkbox"/> Notched Wide Bottom Cushion*</td> <td><input type="checkbox"/> XL Seat Back**</td> <td></td> </tr> </table>				<input type="checkbox"/> Notched Seat Bottom Cushion*	<input type="checkbox"/> Laterals	<input type="checkbox"/> Head Rest	<input type="checkbox"/> Notched Wide Bottom Cushion*	<input type="checkbox"/> XL Seat Back**	
<input type="checkbox"/> Notched Seat Bottom Cushion*	<input type="checkbox"/> Laterals	<input type="checkbox"/> Head Rest							
<input type="checkbox"/> Notched Wide Bottom Cushion*	<input type="checkbox"/> XL Seat Back**								
<input type="checkbox"/> Option #3 – Alternate Seating System: Blue Bucket Seat									
AM-12S Accessories:	<input type="checkbox"/> Vertical Hand Grips	<input type="checkbox"/> Pull/Steering Bar	<input type="checkbox"/> H-Harness - 11.5"						
	<input type="checkbox"/> Heavy Duty Push Bar ( <i>notched seats</i> )		<input type="checkbox"/> Separator Cube						

<input type="checkbox"/> <b>AM-12 HAND TRYKE</b> – (12" wheels, 4" crank arms & permanent foot platform) <b>50-HC-0210</b> Arm Length 14-23" <b>New: Now standard with Rear Steering (converts to push bar by inserting pin) and safety flag.</b>										
<input type="checkbox"/> Option #1 – Standard Seating System: Saddle Seat/1600 Simple Seat Back Seat Bottom Alternates: <table style="width:100%; border:none;"> <tr> <td><input type="checkbox"/> Bench Seat</td> <td><input type="checkbox"/> Pommel Saddle Seat</td> <td><input type="checkbox"/> Medium (11.5x10")</td> <td><input type="checkbox"/> Large(14x13")</td> </tr> </table>				<input type="checkbox"/> Bench Seat	<input type="checkbox"/> Pommel Saddle Seat	<input type="checkbox"/> Medium (11.5x10")	<input type="checkbox"/> Large(14x13")			
<input type="checkbox"/> Bench Seat	<input type="checkbox"/> Pommel Saddle Seat	<input type="checkbox"/> Medium (11.5x10")	<input type="checkbox"/> Large(14x13")							
<input type="checkbox"/> Option #2 – Alternate Seating System: 1400 ProSeries Seat Back System (push grip, backpad, saddle seat & 2 laterals) Seat Bottom Alternates: <table style="width:100%; border:none;"> <tr> <td><input type="checkbox"/> Bench Seat</td> <td><input type="checkbox"/> Pommel Saddle Seat</td> <td><input type="checkbox"/> Medium (11.5x10")</td> <td><input type="checkbox"/> Large(14x13")</td> </tr> </table> Trunk Support Options: <table style="width:100%; border:none;"> <tr> <td><input type="checkbox"/> ProSeries Full Padded Back</td> <td><input type="checkbox"/> ProSeries Head Rest</td> <td><input type="checkbox"/> ProSeries Lumbar Pad</td> </tr> </table>				<input type="checkbox"/> Bench Seat	<input type="checkbox"/> Pommel Saddle Seat	<input type="checkbox"/> Medium (11.5x10")	<input type="checkbox"/> Large(14x13")	<input type="checkbox"/> ProSeries Full Padded Back	<input type="checkbox"/> ProSeries Head Rest	<input type="checkbox"/> ProSeries Lumbar Pad
<input type="checkbox"/> Bench Seat	<input type="checkbox"/> Pommel Saddle Seat	<input type="checkbox"/> Medium (11.5x10")	<input type="checkbox"/> Large(14x13")							
<input type="checkbox"/> ProSeries Full Padded Back	<input type="checkbox"/> ProSeries Head Rest	<input type="checkbox"/> ProSeries Lumbar Pad								
<input type="checkbox"/> Option #3 – Alternate Seating System: Gray Bucket Seat										
<input type="checkbox"/> Option #4 – Alternate Seating System: Snappy Seat System Snappy Seat Accessories: <table style="width:100%; border:none;"> <tr> <td><input type="checkbox"/> Notched Seat Bottom Cushion*</td> <td><input type="checkbox"/> Laterals</td> <td><input type="checkbox"/> Head Rest</td> </tr> <tr> <td><input type="checkbox"/> Notched Wide Bottom Cushion*</td> <td><input type="checkbox"/> XL Seat Back**</td> <td><input type="checkbox"/> Separator Cube</td> </tr> </table>				<input type="checkbox"/> Notched Seat Bottom Cushion*	<input type="checkbox"/> Laterals	<input type="checkbox"/> Head Rest	<input type="checkbox"/> Notched Wide Bottom Cushion*	<input type="checkbox"/> XL Seat Back**	<input type="checkbox"/> Separator Cube	
<input type="checkbox"/> Notched Seat Bottom Cushion*	<input type="checkbox"/> Laterals	<input type="checkbox"/> Head Rest								
<input type="checkbox"/> Notched Wide Bottom Cushion*	<input type="checkbox"/> XL Seat Back**	<input type="checkbox"/> Separator Cube								
AM-12 Accessories:	<input type="checkbox"/> Pull/Steering Bar		<input type="checkbox"/> H-Harness - 11.5"							
	<input type="checkbox"/> Knee Separator: <input type="checkbox"/> 2" <input type="checkbox"/> 5"	<input type="checkbox"/> 9" Extender Tube	<input type="checkbox"/> Vertical Hand Grips							

\*cannot be used in conjunction with rear steering.      \*\*cannot be used in conjunction with an h-harness, head rest or laterals.

<input type="checkbox"/> <b>AM-16 HAND TRYKE</b> (16" wheels, 5" crank arms & permanent foot platform ) <b>50-HFC-0411</b> Arm length 18-27" <b>New: Now standard with Rear Steering (converts to push bar by inserting pin) and safety flag.</b>											
<input type="checkbox"/> Option #1 – Standard Seating System: Saddle Seat/1600 Simple Seat Back Seat Bottom Alternates: <table style="width:100%; border:none;"> <tr> <td><input type="checkbox"/> Bench Seat</td> <td><input type="checkbox"/> Pommel Saddle Seat</td> <td><input type="checkbox"/> Medium (11.5x10")</td> <td><input type="checkbox"/> Large(14x13")</td> </tr> </table>				<input type="checkbox"/> Bench Seat	<input type="checkbox"/> Pommel Saddle Seat	<input type="checkbox"/> Medium (11.5x10")	<input type="checkbox"/> Large(14x13")				
<input type="checkbox"/> Bench Seat	<input type="checkbox"/> Pommel Saddle Seat	<input type="checkbox"/> Medium (11.5x10")	<input type="checkbox"/> Large(14x13")								
<input type="checkbox"/> Option #2 – Upgraded Seating System: 1400 ProSeries Seat Back System (push grip, backpad, saddle seat & 2 laterals) Seat Bottom Alternates: <table style="width:100%; border:none;"> <tr> <td><input type="checkbox"/> Bench Seat</td> <td><input type="checkbox"/> Padded Tractor Seat</td> <td><input type="checkbox"/> Pommel Saddle Seat</td> <td><input type="checkbox"/> Medium (11.5x10")</td> <td><input type="checkbox"/> Large(14x13")</td> </tr> </table> Trunk Support Options: <table style="width:100%; border:none;"> <tr> <td><input type="checkbox"/> ProSeries Full Padded Back</td> <td><input type="checkbox"/> ProSeries Head Rest</td> <td><input type="checkbox"/> ProSeries Lumbar Pad</td> </tr> </table>				<input type="checkbox"/> Bench Seat	<input type="checkbox"/> Padded Tractor Seat	<input type="checkbox"/> Pommel Saddle Seat	<input type="checkbox"/> Medium (11.5x10")	<input type="checkbox"/> Large(14x13")	<input type="checkbox"/> ProSeries Full Padded Back	<input type="checkbox"/> ProSeries Head Rest	<input type="checkbox"/> ProSeries Lumbar Pad
<input type="checkbox"/> Bench Seat	<input type="checkbox"/> Padded Tractor Seat	<input type="checkbox"/> Pommel Saddle Seat	<input type="checkbox"/> Medium (11.5x10")	<input type="checkbox"/> Large(14x13")							
<input type="checkbox"/> ProSeries Full Padded Back	<input type="checkbox"/> ProSeries Head Rest	<input type="checkbox"/> ProSeries Lumbar Pad									
<input type="checkbox"/> Option #3 – Upgraded Seating System: Gray Bucket Seat											
AM-16 Accessories:	<input type="checkbox"/> Pull/Steering Bar		<input type="checkbox"/> H-Harness - 11.5"								
	<input type="checkbox"/> Knee Separator: <input type="checkbox"/> 2" <input type="checkbox"/> 5"	<input type="checkbox"/> 9" Extender Tube	<input type="checkbox"/> Vertical Hand Grips								

Please scan & email application & photo to:  
[applications@capitalcityambucs.org](mailto:applications@capitalcityambucs.org)

OR

mail to: Capital City AMBUCS  
 7031 Evans Dr. Round Rock, Tx 78681

Recipient's Name:

## HAND TRYKES

**NEW: 1020 "Junior" HAND TRYKE** (20" wheels & 3-Speed drive train) **50-HC-1020** Arm length 19-30"

Option #1 – Standard Seating: Small Wheelchair Seat (3.5" narrower in width and depth than the Large)  
Seat Alternates:  Large Wheelchair Seat

1020 Accessories:  Wheelchair Seat Bar Ends  Swing-Away Arms  Rearview Mirror

**1024 HAND TRYKE** – (24" wheels & 3-Speed drive train) **50-HC-1024** Arm length 22-26"

Option #1 – Standard Seating: Large Wheelchair Seat (3.5" broader in width and depth than the Small)  
Seat Alternates:  Small Wheelchair Seat

1024 Accessories:  Wheelchair Seat Bar Ends  Swing-Away Arms  Rearview Mirror

**HP-1000 RECREATION HAND TRYKE** – (16" front wheel & 7-Speed grip shift) **50-HC-1000** Arm length 22-26"

HP-1000 Accessories:  Wheelchair Seat Bar Ends  Swing-Away Arms  Rearview Mirror

Therapist Assembly Notes or Comments (if any):

Please scan & email application & photo to:  
[applications@capitalcityambucs.org](mailto:applications@capitalcityambucs.org)

OR

mail to: Capital City AMBUCS  
7031 Evans Dr. Round Rock, Tx 78681

Recipient's Name: \_\_\_\_\_

## HAND-FOOT TRYKES

<input type="checkbox"/> <b>AM-10 HAND-FOOT TRYKE</b> (10" wheels & 2.5" crank arms) <b>50-HFC-0105</b> Arm length 13-17", leg length 15-21" <b>New: Now standard with Rear Steering (converts to push bar by inserting pin) and safety flag.</b>			
<input type="checkbox"/> Option #1 – Standard Seating System: Blue Bucket Seat			
<input type="checkbox"/> Option #2 – Upgraded Seating System: Snappy Seat System			
Snappy Seat Accessories: <input type="checkbox"/> Notched Seat Bottom Cushion* <input type="checkbox"/> Laterals <input type="checkbox"/> Head Rest <input type="checkbox"/> Notched Wide Bottom Cushion* <input type="checkbox"/> XL Seat Back**			
AM-10 Accessories:	<input type="checkbox"/> AM Toe Pulley	<input type="checkbox"/> Pull/Steering Bar	<input type="checkbox"/> H-Harness - 11.5"
	<input type="checkbox"/> Heavy-Duty Push Bar ( <i>notched seats</i> )	<input type="checkbox"/> Vertical Hand Grips	<input type="checkbox"/> Separator Cube

<input type="checkbox"/> <b>AM-12Small HAND-FOOT TRYKE</b> (12" wheels & 3" crank arms) <b>50-HFC-0110</b> Arm length 15-20", leg length 19-24" <b>New: Now standard with Saddle Seat, Rear Steering (converts to push bar by inserting pin) and safety flag.</b>			
<input type="checkbox"/> Option #1 – Standard Seating System: Saddle Seat & 1600 Simple Seat Back			
<input type="checkbox"/> Option #2 – Upgraded Seating System: Snappy Seat System			
Snappy Seat Accessories: <input type="checkbox"/> Notched Seat Bottom Cushion* <input type="checkbox"/> Laterals <input type="checkbox"/> Head Rest <input type="checkbox"/> Notched Wide Bottom Cushion* <input type="checkbox"/> XL Seat Back**			
<input type="checkbox"/> Option #3 – Upgraded Seating System: Blue Bucket Seat			
AM-12S Accessories:	<input type="checkbox"/> AM Pedal Toe Pulley	<input type="checkbox"/> Pull/Steering Bar	<input type="checkbox"/> H-Harness - 11.5"
	<input type="checkbox"/> Heavy-Duty Push Bar ( <i>notched seats</i> )	<input type="checkbox"/> Vertical Hand Grips	<input type="checkbox"/> Separator Cube
		<input type="checkbox"/> 9/16" Exercise pedals	<input type="checkbox"/> Solid Rear Tires

\*cannot be used in conjunction with rear steering. \*\*cannot be used in conjunction with an h-harness, head rest or laterals.

<input type="checkbox"/> <b>AM-12 HAND-FOOT TRYKE</b> (12" wheels & 4" crank arms) <b>50-HFC-0210</b> Arm length 14-23", leg length 21-29" <b>New: Now standard with Rear Steering (converts to push bar by inserting pin) and safety flag.</b>			
<input type="checkbox"/> Option #1 – Standard Seating System: Saddle Seat/1600 Simple Seat Back			
Seat Bottom Alternates: <input type="checkbox"/> Bench Seat <input type="checkbox"/> Pommel Saddle Seat <input type="checkbox"/> Medium (11.5x10") <input type="checkbox"/> Large(14x13")			
<input type="checkbox"/> Option #2 – Upgraded Seating System: ProSeries Seat Back System (push grip, backpad, saddle seat & 2 laterals)			
Seat Bottom Alternates: <input type="checkbox"/> Bench Seat <input type="checkbox"/> Pommel Saddle Seat <input type="checkbox"/> Medium (11.5x10") <input type="checkbox"/> Large(14x13")			
Trunk Support Upgrades: <input type="checkbox"/> ProSeries Full Padded Back <input type="checkbox"/> ProSeries Head Rest <input type="checkbox"/> ProSeries Lumbar Pad			
<input type="checkbox"/> Option #3 – Upgraded Seating System: Gray Bucket Seat			
<input type="checkbox"/> Option #4 – Upgraded Seating System: Snappy Seat System ( <i>too small for many AM-12 riders; check seat measurements.</i> )			
Snappy Seat Accessories: <input type="checkbox"/> Notched Seat Bottom Cushion* <input type="checkbox"/> Laterals <input type="checkbox"/> Head Rest <input type="checkbox"/> Notched Wide Bottom Cushion* <input type="checkbox"/> XL Seat Back** <input type="checkbox"/> Separator Cube			
AM-12 Accessories:	<input type="checkbox"/> AM Pedal Toe Pulley	<input type="checkbox"/> Pull/Steering Bar	<input type="checkbox"/> H-Harness - 11.5"
	<input type="checkbox"/> Knee Separator: <input type="checkbox"/> 2" <input type="checkbox"/> 5"	<input type="checkbox"/> 9" Extender Tube	<input type="checkbox"/> Vertical Hand Grips
	<input type="checkbox"/> AM Leg Rests	<input type="checkbox"/> 9/16" Exercise pedals	<input type="checkbox"/> Solid Rear Tires

Please scan & email application & photo to:  
[applications@capitalcityambucs.org](mailto:applications@capitalcityambucs.org)

OR

mail to: Capital City AMBUCS  
7031 Evans Dr. Round Rock, Tx 78681

Recipient's Name:

**AM-16 HAND-FOOT TRYKE** (16" wheels & 5" crank arms) **50-HFC-0411** Arm length 18-27", leg length 24-36"

**New: Now standard with Rear Steering (converts to push bar by inserting pin) and safety flag.**

Option #1 – Standard Seating System: Saddle Seat/1600 Simple Seat Back

Seat Bottom Alternates:  Bench Seat  Tractor Seat  Pommel Saddle Seat  Medium (11.5x10")  Large(14x13")

Option #2 – Upgraded Seating System: 1400 ProSeries Seat Back System (push grip, backpad, saddle seat & 2 laterals)

Seat Bottom Upgrades:  Bench Seat  Tractor Seat  Pommel Saddle Seat  Medium (11.5x10")  Large(14x13")

Trunk Support Upgrades:  ProSeries Full Padded Back  ProSeries Head Rest  ProSeries Lumbar Pad

Option #3 – Upgraded Seating System: Gray Bucket Seat

AM-16 Accessories:  AM Pedal Toe Pulley  Pull/Steering Bar  H-Harness - 11.5"

Knee Separator:  2"  5"  9" Extender Tube  AM Leg Rests  XL Exercise pedals

Solid Rear Tires  9/16" Exercise pedals  Vertical Hand Grips

**AM-20 HAND-FOOT TRYKE** (Recumbent Single Speed) – **50-HFC-0610** Arm length 18-30", leg length 32-46"

**Tryke is currently being used ONLY for research.**

AM-20 Accessories:  Exercise Pedals  XL Exercise Pedals  Expanding Pedals

Wheelchair Seat Bar Ends  Swing Away Arms  Calf & Leg Supports (Expanding pedals)

Therapist Assembly Notes or Comments (if any):

Please scan & email application & photo to:  
[applications@capitalcityambucs.org](mailto:applications@capitalcityambucs.org)


OR

mail to: Capital City AMBUCS  
7031 Evans Dr. Round Rock, Tx 78681

# Amtryke Sizing Chart

TRYKE TYPE (How will the tryke be propelled?)	RIDER LEG LENGTH (Inches from center of hip to bottom of shoe.)	RIDER ARM LENGTH (Inches from middle of shoulder to center of digit crease.)	MODEL	RIDER WEIGHT (Pounds)	RIDER MAX HEIGHT (Inches)	TRYKE WEIGHT (Pounds)	WHEEL SIZE (Inches)	TRYKE HEIGHT (Inches)	TRYKE LENGTH (Inches)	TRYKE WIDTH (Inches)
<b>Hand &amp; Foot</b>	15-21	13-17	AM-10	55	40	45	10	24	38	21
	19-24	15-20	AM-12S	150	40	45	12	27	38	24
	21-29	14-23	AM-12	150	47	45	12	36	60	32
	24-36	18-27	AM-16	175	66	55	16	36	68	33
	32-46	18-30	AM-20	<i>FOR RESEARCH ONLY</i>						
<b>Foot</b>	15-21	12-20	1410	65	40	45	10	24	38	21
	23-28	16-24	1412	125	42	72	12	13	43	27
	26-32	16-24	1416	175	60	74	16	49	58	30
	29-35	20-30	1420	250	68	74	20	50	64	30
	30-45	22-34	1420XL	275	76	89	20	43	72	29
	30-41	20-28	JT-2000/ JT2300USS	250	74	80	20	48	72	32
	36-45	17-29	TP-3000	300	75	47	20	33	63-70	33
	up to 37	19-30	1020	250	67	74	20	41	69	30
	up to 41	22-26	1024	250	72	85	24	45	75	32
	up to 41	22-26	HP-1000	250	74	83	Front 16 Rear 20	45	72	32
<b>All trykes in the Hand &amp; Foot section can be converted to Hand trykes – except the AM-20.</b>										

- A Center of Shoulder
- B Center of Elbow
- C Center of Digit Crease
- D Center of Hip (greater trochanter)
- E Center of Knee
- F Bottom of Foot



## RIDER'S MEASUREMENTS

### Arm Measurements (Inches) Total Length

Left A to B + B to C = \_\_\_\_\_

Right A to B + B to C = \_\_\_\_\_

Trunk A to D = \_\_\_\_\_

### Leg Measurements (Inches) Total Length

Left D to E + E to F = \_\_\_\_\_

Right D to E + E to F = \_\_\_\_\_

## HELMET SIZING

### Youth Sizes Head Circumference Inches

XXS 18.5 to 19.5

XS 20.5 to 22

S/M 22 to 23.6

L/XL 23.6 to 25.75

### Adult Sizes Head Circumference Inches

S/M 22 to 23.6

L/XL 23.6 to 25.75