Inspiring Mobility & Independence

# Solicitud de Triciclo Adaptativo Amtryke

(Debe ser llenado completamente por el recipiente adulto o por el padre/tutor del menor)

Nombre del Solicitante _____ Fecha de solicitud: _____
Dirección: _____ Edad _____
Ciudad/Estado/Código postal: _____ Teléfono: _____
Diagnóstico: _____ Email: _____

**Si el solicitante es menor de 18 años**

Nombre del padre/tutor: _____
**Si es diferente del anterior**
Dirección: _____ Teléfono: _____
Ciudad/Estado/Código postal: Email:

Nombre de contacto secundario: _____ Teléfono: _____

Nombre del terapeuta tratante: _____
Teléfono: _____ Email: _____

¿Cómo se enteró sobre el triciclo adaptativo Amtryke? (Marque todo lo que corresponda)
☐ Terapeuta ☐ Sitio web ☐ Miembro de AMBUCS ☐ Otro: _____

¿Necesitará ayuda financiera para obtener el triciclo? ☐ Si ☐ No
En caso afirmativo, ¿cuánto puedes pagar? _____
Nota: Los triciclos adaptativos Amtryke se distribuyen en base a los fondos disponibles y la necesidad. Las colocaciones individuales de los triciclos adaptativos Amtryke son a discreción de la sección local.

Díganos acerca del solicitante*: _____

_____

_____

_____

_____

**Esta información se hará pública para ayudar a obtener financiación. No incluya información que no desee que se comparta.

Incluir una foto del destinatario nos ayudará a obtener un patrocinador que le ayudará a pagar Amtryke más rápidamente. Se prefieren imágenes digitales, pero también aceptamos fotografías brillantes impresas profesionalmente. No fotocopias ni imágenes dobladas.

Al incluir una fotografía, usted da su consentimiento para que AMBUCS utilice la imagen en línea e impresa para ayudar a obtener financiación.

Firma: _____ Fecha: _____

**Las personas no serán consideradas para la colocación hasta que los tres formularios sean devueltos a AMBUCS: este formulario completado por el destinatario/tutor, así como el Formulario de evaluación y el Formulario de selección de Tryke completados por el terapeuta.**

Capital City AMBUCS (Actualizado 7/2025)
Escanee la solicitud y la foto en formato PDF y envíela por correo electrónico a info@capitalcityambucs.org
Su capítulo local debe recibir este formulario, junto con la evaluación y el formulario de selección de tryke, antes de que se considere la colocación.

# Formulario de exención de Triciclo Adaptable Amtryke

(Debe ser completado en su totalidad por un pasajero adulto o un padre/tutor)

Los miembros de AMBUCS en todo el país están dedicados a la creación de oportunidades para la movilidad e independencia de las personas con discapacidad proporcionando triciclos adaptativos Amtryke, ofreciendo becas educativas a estudiantes de terapia y haciendo diversas formas de servicio a la comunidad.

**Propósito:** El triciclo adaptativo Amtryke fue diseñado para las personas con discapacidad. Crea una sensación de libertad, desarrolla autoestima, fortalece los músculos y mejora la coordinación y la amplitud de movimiento — todo ellohaciendo un ejercicio divertido.

**Conducción:** Inicialmente, el conductor puede tener dificultad girando o cambiando de dirección. Anímelo a ir hacia delante, hacia atrás y girar lentamente. Hay tres opciones de manejo para el Amtryke. En la columna frontal del triciclo encontrará dos orificios para el perno de dirección. El orificio de arriba es el de la dirección recta, el orificio de abajo permite hacer un giro de 20 grados de radio.

## Precauciones de Seguridad

- Velocidad muy rápida y giros bruscos pueden causar que el triciclo tadaptativos Amtryke se vuelque.
- Siempre lleve un casco cuando ande en un Amtryke.
- Se recomienda mucho el uso de equipo protector adicional.
- Se requiere la supervisión de un adulto si el triciclo es usado por conductores muy jóvenes.
- Use precaución cerca de vehículos, piscinas y otros cuerpos de agua, colinas, callejones y entradas con bajada.
- Siempre use zapatos.
- Nunca permita más de un conductor.
- Se recomienda el uso del perno de dirección para evitar posibles sobre manejos o volcaduras.

*La información contenida en este servicio no es intencionada ni implícita por National AMBUCS™, Inc. para que sea un consejo médico profesional por National AMBUCS™, Inc. Siempre busque el consejo de su médico, terapeuta u otro proveedor médico calificado antes de empezar cualquier tratamiento o cualquier pregunta que tenga con respecto a una condición médica. Nada del contenido de este servicio está destinado por National AMBUCS™, Inc. para ser diagnóstico médico y tratamiento por National AMBUCS™, Inc. o en nombre de Nacional AMBUCS™, Inc. En ningún caso nacional AMBUCS™, Inc. será responsable por cualquier honorario directo, indirecto, incidental, consecuente, especial, ejemplar, punitivo, monetario u otros daños, lesiones personales o daños a la propiedad, multas, pagos, costos de abogado, o responsabilidad de cualquier tipo que surja de o se relacione de alguna manera a este servicio o uso del triciclo terapéutico AmTryke®, y/o el contenido o la información proporcionada en este documento*

☐ Al firmar a continuación estoy de acuerdo a ser fotografiado por National AMBUCS™, Inc. También estoy de acuerdo que mi foto y nombre puedan utilizarse en actividades de promoción por National AMBUCS y Amtryke LLC. Además otorgo Nacional AMBUCS™, Inc. la capacidad de utilizar las fotos y el nombre para propósitos de publicidad/anuncios sin compensación adicional, excepto donde esté prohibido por la ley.

**Al firmar a continuación, reconozco que he leído y comprendido esta exención de responsabilidad.**

Nombre del Solicitante: _____

Firma del receptor adulto: _____

**Si el solicitante es menor de 18 años**

Nombre del tutor legal: _____

Firma del tutor legal: _____ Fecha: _____

**No se considerará a ningún individuo para una colocación hasta que se devuelvan las tres formas a AMBUCS: esta solicitud y la forma de renuncia (al reverso) llenados por el recipiente o tutor, así como la evaluación llenada por el terapeuta.**

Capital City AMBUCS (Actualizado 7/2025)
Escanee la solicitud y la foto en formato PDF y envíela por correo electrónico a info@capitalcityambucs.org
Su capítulo local debe recibir este formulario, junto con la evaluación y el formulario de selección de tryke, antes de que se considere la colocación.

AMBUCS™
Creating Mobility and Independence For People With Disabilities

# FORMULARIO DE AUTORIZACIÓN DE FOTOGRAFÍA.

Yo, _____, el abajo firmante, acepto que mi hijo/a, _____, sea fotografiado/a por National AMBUCS Inc. y sus filiales. También acepto que la foto, el nombre y la información de mi hijo/a se utilicen en campañas promocionales para National AMBUCS, Inc. y sus filiales, y que la foto, el nombre y la información de mi hijo/a se utilicen con fines publicitarios sin compensación adicional, excepto donde lo prohíba la ley.

Firma: _____ Fecha:_____

Testigo: _____

# Amtryke Evaluation Packet

(Must be filled out completely by therapist or physician)

Thanks for choosing an Amtryke adaptive tricycle! In order to accommodate the widest variety of people, Amtryke offers many tryke models and each can be customized in a variety of ways. Following the steps below will help you choose to the best tryke for your client from our wide variety of options. You can always refer to our website, www.amtrykestore.org, or the Amtryke catalogue for more information and product images.

**Step 1:** Fill out the Amtryke Assessment Form.

**Step 2:** Choose the way the tryke will be propelled: **Hand & Foot, Foot,** or **Hand**. Your choice should be based on the rider's ability and therapy goals.

**Foot trykes** were developed in response to requests from therapists for a traditional tricycle for riders with special needs.

**Hand & Foot trykes** improve coordination, strength and range of motion. Using all four extremities helps with weakness in any area, even general weakness, and can positively affect tone.

**Hand trykes** are designed for persons whose lower limbs lack function or those who need special therapy for the upper extremity.

**Step 3:** Take rider's measurements from the front of this Assessment Form and compare them to our Sizing Chart (the final page of this packet). This will narrow the choices considerably.

**Step 4:** Chose any adaptations and/or accessories needed by the rider. Each tryke model can only be customized in the ways noted in its own model section in the Tryke Selection Forms, or with accessories from the Generic Accessories section. If a customization option is not listed, it is because of design or other practical constraints in offering it on a particular model.

**Note:** The 1416, 1420, and 1420XL Foot Trykes offer two drive possibilities: **fixed** drive or **geared** drive. A **fixed** drive, commonly known as a 'fixie,' works on a mechanical level to help individuals make a full pedal rotation. The foot crank is constantly in motion for full therapeutic effect. Coasting is not possible with a positive drive; when limb motion stops, the bike does as well.

Riders of **geared** drive trykes must be able to make a complete pedal rotation on their own. This tryke is suitable for riders who need help with balance and a stable sitting position and who have the cognitive ability to steer successfully and apply the coaster brake or hand brake. The key feature of geared trykes is the ability to coast.

# Amtryke Therapist Assessment Form

(must be signed off by a licensed PT, OT, or RT)

Rider's Name: _____

Birth Month/Year:_____ Weight (lbs):_____ Height (inches):

Diagnosis:_____

*This information is private and only utilized to appropriately fit the rider*

**Rider Information:**

Safety Overview

(some riders may benefit from additional safety tools such as rear steering to optimize safety)

Please select any of the below mentioned conditions that your rider may present with:

| | | |
|---|---|---|
| Visual Impairment: | Yes ☐ | No ☐ |
| Behavioral or Cognitive Concerns: | Yes ☐ | No ☐ |
| Uncontrolled Seizures: | Yes ☐ | No ☐ |
| Significant endurance issues: | Yes ☐ | No ☐ |

Transfer Ability ◯ Independent ◯ MinA ◯ ModA ◯ MaxA ◯ Dependent

Measurements: (these measurements are crucial for appropriate fit)

| | |
|---|---|
| A | Acromion process |
| B | Lateral epicondyle of elbow |
| C | MCP Joints/Knuckles |
| D | Greater trochanter |
| E | Lateral joint line |
| F | Bottom of foot |

| Helmet Sizing | |
|---|---|
| **Size** | **Measurement** (head circumference) |
| Toddler (XS) | 17.7"-19.3" |
| Child (S) | 20.5"-21.7" |
| Youth (L) | 20.9"-22.4" |
| Adult (XL) | 22.4"-23.6" |

| **Arms (inches)** | | | | | **Total Length** |
|---|---|---|---|---|---|
| Left | A to B: | | B to C: | | |
| Right | A to B: | | B to C: | | |
| **Trunk (inches)** | | A to D: | | | |
| **Legs (inches** | | | | | **Total Length** |
| Left | D to E: | | E to F: | | |
| Right | D to E: | | E to F: | | |




Orthopedic Overview

| **Hip Status** | **Right** | **Left** |
|---|---|---|
| Dislocated | | |
| Subluxed | | |
| Unclear | | |
| Cleared | | |

| **Shoulder** | **Right** | **Left** |
|---|---|---|
| Dislocated | | |
| Subluxed | | |
| Unclear | | |
| Cleared | | |

| **Contractures** (severity) | | |
|---|---|---|
| Knee | R: | L: |
| Ankle | R: | L: |
| Elbow | R: | L: |

Capital City AMBUCS (Actualizado 7/2025)

Escanee la solicitud y la foto en formato PDF y envíela por correo electrónico a info@capitalcityambucs.org

Su capítulo local debe recibir este formulario, junto con la evaluación y el formulario de selección de tryke, antes de que se considere la colocación.

**Rider Information Continued**:

Orthotics used:_____

Equipment:_____

Please list any comments about measurements: _____
_____
_____

**Evaluating Therapist Information:**

Therapist Name: _____ Are you the treating therapist? Yes ☐ No ☐
Credentials: _____Completed AEFT Course? Yes ☐ No ☐
Phone:_____ Email: _____
Facility Name:_____
Address:_____State/Zip:_____
Are you associated with an AMBUCS Chapter? Yes ☐ No ☐
If yes, please indicate: _____

Therapist comments concerning the rider and family goals: _____
_____
_____
_____
_____

This request is directed to:
Local AMBUCS Chapter: _____
National Wish List (AMBUCS Resource Center)

By signing below, you are signifying that in your professional opinion this rider would benefit from an Amtryke. You assume no liability. If this form is being completed by a PTA, COTA, or unlicensed RT or RTA, cosignatory is required due to evaluation component of this form.

Therapist Name (printed):_____Professional Designation:_____
Therapist Signature:_____ Date:_____
Cosignatory if necessary: _____ Date: _____

---

Shipping Information

Name/Facility: _____ Phone: _____
Address:_____ City: _____
State: _____ Zip code: _____

The following forms must be received before an order is placed or wish list addition: family request/liability form, Amtryke Therapist Assessment form, and tryke selection form.

# 2025 AMTRYKE SIZING CHART

***NOTE:** This chart supersedes all previous version and is subject to change with release of new models*

| PROPEL | MEASURE | | TRYKE | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| ***AMTRYKE TYPE*** How will the tryke be propelled? | ***RIDER LEG LENGTH*** Inches from center of hip to bottom of shoe | ***RIDER ARM LENGTH*** Inches from shoulder to center of digit creasee | ***MODEL*** | ***RIDER WEIGHT*** (Pounds) | ***RIDER MAX HEIGHT*** (Inches) | ***TRYKE WEIGHT*** (Pounds) | ***WHEEL SIZE*** (Inches) | ***TRYKE HEIGHT*** (Inches) | ***TRYKE LENGTH*** (Inches) | ***TRYKE WIDTH*** (Inches) | |
| ***HAND & FOOT*** | 15-21 | 13-17 | AM-10 | 55 | 40 | 45 | 10 | 24 | 38 | 21 | |
| | 19-24 | 15-20 | AM-12S | 150 | 40 | 45 | 12 | 27 | 38 | 24 | |
| | 21-29 | 14-23 | AM-12 | 150 | 47 | 45 | 12 | 36 | 60 | 32 | |
| | 24-36 | 18-27 | AM-16 | 175 | 66 | 55 | 16 | 36 | 68 | 33 | |
| ***FOOT*** | 15-21 | 12-20 | 1410 | 55 | 40 | 45 | 10 | 24 | 38 | 21 | |
| | 21-31 | 10-24 | Paceline 16 | 200 | 60 | 65 | 16 | 38.5 | 56 | 31.5 | NEW! |
| | 28-45 | 20-34 | Paceline 20 | 275 | 76 | 76 | 20 | 50 | 67 | 31.5 | |
| | 30-41 | 20-28 | JT-2000/ JT2300USS | 250 | 74 | 80 | 20 | 48 | 72 | 32 | |
| | 36-45 | 17-29 | TP-3000 | 300 | 75 | 47 | 20 | 33 | 63-70 | 33 | |
| ***HAND**** | **up to 37** | 19-26 | **1020** | 250 | 67 | 74 | 20 | 41 | 69 | 30 | |
| | up to 41 | **22-30** | 1024 | 250 | 72 | 85 | 24 | 45 | 75 | 32 | |

**All trykes in the hand and foot section can be converted to hand trykes**

## HELMET SIZES

| Size | Head Circumference Inches |
|---|---|
| XS (Toddler) | 17.7”- 19.3” |
| S (Child) | 20.5” – 21.7” |
| M (Youth) | 21.3” – 22.9” |
| L (Adult) | 22.9” – 24.0” |

Please see graphic below highlighting changes on the Paceline vs Pro series.

Please use the following forms to order the Paceline 16 and Paceline 20.

Amtryke

# Paceline 16" & 20"

**NEW FEATURES INCLUDE:**

- Quick-release front wheel and rear steering kit
- Front disc brake now standard
- Additional rider adjustment to cover leg lengths from 21" to 31" (Paceline16) and 28" to 45" *(Paceline20)
- Aluminum frame for easier transport
- Disk brake and brake cable preinstalled on rear axle
- Easy separation of frame for transport
- Recumbent seating options
- Flat-free solid tires
- Consolidates previous generation models 1412 and 1416 (Paceline 16) and previous generation models 1420 and 1420XL (Paceline20)
- Fully padded back comes standard with easy adjustment of lumbar pad and headrest options

**CONTACT AMTRYKE CUSTOMER SUPPORT FOR LATEST INFORMATION ON AVAILABILITY**
**amtryke@ambucs.org**

Amtryke
Adaptive Trykes for Amazing People!

# Amtryke Paceline 20" Foot Cycle Order Form

| Choose below to order a Standard or Customized tryke based on your riders' needs | Date: | |
|---|---|---|

**PLEASE NOTE:** We highly recommend that each tryke is fitted to a rider by a licensed Physical or Occupational Therapist

| Standard Paceline 20" Foot Tryke | Quantity | |
|---|---|---|
| **Must be ordered as listed:** Telescoping Handlebar, Expanding Pedals with leveler cord, Large Pommel Seat, Seatback, Lateral Supports, Single Speed Drive System, 85% assembled with free shipping | | |

## OR

## Customized Paceline 20" Foot Tryke

| Part Type | Part Number | Description | Qty: | |
|---|---|---|---|---|
| **Frame** | LAF-20 | **LAF-20 Base Frame Price Includes all standard components:** Front and Rear Frame, Front Wheel, Front Disc brake, Crank Set, Chainguard, Seat Base, Seat Post, Rear Axle, Rear Loading brake, Rear Wheels, Basket, Flag, and Helmet | | |
| **Handlebar** | AM68000 | **Telescoping Loop Handlebar with foam Grip**- Can be adjusted 13" in/out and swiveled up/down for ideal positioning | | |
| | 30-24-0011 | **12" Hi-rise handlebars with grips-** For riders that do not need additional hand support or prefer a traditonal style handlebar | | |
| **Pedals** | AM78000 | **Expanding Pedals-** Comes with adjustable pedal base, front and rear pedal straps, and leveling pulley kit | | |
| | 30-30-0122 | **Exercise Pedals**- Provides support for riders that need minimal assistance in keeping feet on pedals, Includes adjustable strap | | |
| | AM70000 | **Platform pedals-** Standard bicycle pedals with no Foot support options | | |
| **Seat** | AM30001 | **Medium Pommel**- Soft countoured seat with high sides and built in pommel, 11.5" wide, 10.5" deep, and a 3" pommel, Helps prevent hip sublimation and promotes knee separation | | |
| | AM30000 | **Large Pommel-** Soft countoured seat with high sides and built in pommel, 14" wide, 13" deep, and a 3" pommel, Helps prevent hip sublimation and promotes knee separation | | |
| | 30-01-0201 | **Tractor Seat-** Large contoured area for stable seating, 14" wide by 9" deep | | |
| | 30-01-0109 | **Simple Saddle Seat-** Offers good stability and smaller seating area, 11 " wide by 9" deep | | |
| **Seatback** | AM38002 | **Yes-** Includes position belt, 3-way angle adjust, full padded backrest, and push handle | | |
| | N/A | **No-**My rider does not need back, trunk, or head support (Add Ons below not needed) | | |
| **Seatback Add Ons** | AM38003 | **Lateral Supports-** Padded trunk supports that swivel, adjust up/down, and in/out | | |
| | AM38008 | **Simple Headrest-** Countoured headrest adjusts up/down, in/out (does not swivel) | | |
| | AM38009 | **Lumbar Pad-** Flat pad to support low back that adjusts up/down, in/out | | |
| **Rear Steer Kit** | AM58004 | **Yes-** Added rear caregiver bar to assist with steering and braking | | |
| | N/A | **No-**My rider does not need assistance with steering or braking | | |
| **Drive System** | AM48005 | **Single Speed Drive System-** can be swapped between freewheel and direct drive | | |
| | AM48003 | **Multi Speed Drive System-** Shiftable 3-speed system for improved useability | | |
| **Rear Brake** | AM58003 | **Rear Brake**- Added rider control for rear brakes (cannot be used with Rear Steer Kit) | | |
| | N/A | **No**- I have already added reat steer kit above or my rider does not need a rear brake | | |

## Accessories- Choose All that Apply for Your Rider

| Hand Accessories | | Foot and Leg Accessories | | General Accessories | | Helmet -FREE |
|---|---|---|---|---|---|---|
| **Part** | **Qty:** | **Part** | **Qty:** | **Part** | **Qty:** | **Circle One** |
| **Wrist Wrap (Pr)** XS, S, M, L Size: | | **2" Knee Separator-** | | **H-Harness -** | | XS |
| **Left WristBrace (Ea)** XXS, XS, S, M Size: | | **Knee Abductor Strap -** | | **Trainer Roller System -** | | S |
| **Right WristBrace(Ea)** XXS, XS, S, M Size: | | **Medium FootCups (Pr)** | | **Water Bottle w Cage -** | | M |
| | | **Small FootCups (Pr)** | | **License Plate (Ea) -** | | L |
| | | **Pedal Blocks (Ea) -** | | **Name /Chapter** | | |
| | | | | **Email (For Confirmation)** | | |
| | | | | **Rider Name (Purchase Order)** | | |

**Each** **Ea**
**Pair** **Pr**

Capital City AMBUCS (Actualizado 7/2025)
Escanee la solicitud y la foto en formato PDF y envíela por correo electrónico a info@capitalcityambucs.org
Su capítulo local debe recibir este formulario, junto con la evaluación y el formulario de selección de tryke, antes de que se considere la colocación.

Amtryke
Adaptive Trykes for Amazing People!

# Amtryke Paceline 16" Foot Cycle Order Form

| Choose below to order a Standard or Customized tryke based on your riders' needs | Date: | |
|---|---|---|

**PLEASE NOTE:** We highly recommend that each tryke is fitted to a rider by a licensed Physical or Occupational Therapist

| Standard Paceline 16" Foot Tryke | Quantity | |
|---|---|---|
| **Must be ordered as listed:** Telescoping Handlebar, Expanding Pedals with leveler cord, Medium Pommel Seat, Seatback, Lateral Supports, Single Speed Drive System, 85% assembled with free shipping | | |

## OR

## Customized Paceline 16" Foot Tryke

| Part Type | Part Number | Description | Qty: | |
|---|---|---|---|---|
| **Frame** | MAF-16 | **MAF-16 Base Frame Price Includes all standard components:** Front and Rear Frame, Front Wheel, Front Disc brake, Crank Set, Chainguard, Seat Base, Seat Post, Rear Axle, Rear Loading brake, Rear Wheels, Basket, Flag, and Helmet | | |
| **Handlebar** | AM68000 | **Telescoping Loop Handlebar with foam Grip**- Can be adjusted 13" in/out and swiveled up/down for ideal positioning | | |
| | 30-24-0011 | **12" Hi-rise handlebars with grips-** For riders that do not need additional hand support or prefer a traditonal style handlebar | | |
| **Pedals** | AM78000 | **Expanding Pedals-** Comes with adjustable pedal base, front and rear pedal straps, and leveling pulley kit | | |
| | 30-30-0122 | **Exercise Pedals**- Provides support for riders that need minimal assistance in keeping feet on pedals, Includes adjustable strap | | |
| | AM70000 | **Platform pedals-** Standard bicycle pedals with no Foot support options | | |
| **Seat** | AM30001 | **Medium Pommel**- Soft countoured seat with high sides and built in pommel, 11.5" wide, 10.5" deep, and a 3" pommel, Helps prevent hip sublimation and promotes knee separation | | |
| | AM30000 | **Large Pommel-** Soft countoured seat with high sides and built in pommel, 14" wide, 13" deep, and a 3" pommel, Helps prevent hip sublimation and promotes knee separation | | |
| | 30-01-0201 | **Tractor Seat-** Large contoured area for stable seating, 14" wide by 9" deep | | |
| **Seatback** | AM38007 | **Yes-** Includes position belt, 3-way angle adjust, full padded backrest, and push handle | | |
| | N/A | **No-**My rider does not need back, trunk, or head support (Add Ons below not needed) | | - |
| **Seatback Add Ons** | AM38003 | **Lateral Supports-** Padded trunk supports that swivel, adjust up/down, and in/out | | |
| | AM38008 | **Simple Headrest-** Countoured headrest adjusts up/down, in/out (does not swivel) | | |
| | AM38009 | **Lumbar Pad-** Flat pad to support low back that adjusts up/down, in/out | | |
| **Rear Steer Kit** | AM58001 | **Yes-** Added rear caregiver bar to assist with steering and braking | | |
| | N/A | **No-**My rider does not need assistance with steering or braking | | |
| **Drive System** | AM48005 | **Single Speed Drive System-** can be swapped between freewheel and direct drive | | |
| | AM48003 | **Multi Speed Drive System-** Shiftable 3-speed system for improved useability | | |
| **Rear Brake** | AM58003 | **Rear Brake**- Added rider control for rear brakes (cannot be used with Rear Steer Kit) | | |
| | N/A | **No**- I have already added reat steer kit above or my rider does not need a rear brake | | |

## Accessories- Choose All that Apply for Your Rider

| Hand Accessories | | Foot and Leg Accessories | | General Accessories | | Helmet -FREE | |
|---|---|---|---|---|---|---|---|
| Part | Qty: | Part | Qty: | Part | Qty: | Circle One | |
| **Wrist Wrap (Pr)** XS, S, M, L Size: | | **2" Knee Separato** | | **H-Harness** | | XS | |
| **Left WristBrace (Ea)** XXS, XS, S, M Size: | | **Knee Abductor Strap** | | **Trainer Roller System** | | S | |
| **Right WristBrace(Ea)** XXS, XS, S, M Size: | | **Medium FootCups (Pr)** | | **Water Bottle w Cage** | | M | |
| | | **Small FootCups (Pr)** | | **License Plate (Ea)** | | L | |
| | | **Pedal Blocks (Ea)** | | | | | |

**Each** Ea
**Pair** Pr

| | |
|---|---|
| **Name /Chapter** | |
| **Email (For Confirmation)** | |
| **Rider Name (Purchase Order)** | |

Capital City AMBUCS (Actualizado 7/2025)
Escanee la solicitud y la foto en formato PDF y envíela por correo electrónico a info@capitalcityambucs.org
Su capítulo local debe recibir este formulario, junto con la evaluación y el formulario de selección de tryke, antes de que se considere la colocación.

***Please note that Pro-Series Models 1412, 1416, 1420 and 1420 XL are no longer available.***

# Amtryke Selection

Rider's Name: _____

## Generic Accessories

| | | | | |
|---|---|---|---|---|
| **Fun Items** | License Plate ☐ | | Water Bottle with Cage ☐ | |
| **Leg and Foot Items** | Foot cups (pair): | | Pedal Blocks: 1= ¾ inch | |
| | Small ☐ | Medium ☐ | ☐ Quantity | |
| **Hand Items** | Wrist Wraps (pair) | | Wrist Brace/Mitt: | |
| | Xsmall: ☐ | Small: ☐ | Right ☐ | Left ☐ |
| | Medium: ☐ | Large: ☐ | XXS ☐ | XS ☐ |
| **Safety/Position** | H-harness=11.5" *not compatible with large wheelchair seat or recumbent seats ☐ | | Small ☐ | Medium ☐ |
| | Knee Adductor Strap ☐ | | | |

Generic accessories are compatible with most models.

**Therapist notes or comments:**

Capital City AMBUCS (Actualizado 7/2025)
Escanee la solicitud y la foto en formato PDF y envíela por correo electrónico a info@capitalcityambucs.org
Su capítulo local debe recibir este formulario, junto con la evaluación y el formulario de selección de tryke, antes de que se considere la colocación.

Amtryke
Adaptive Trykes for Amazing People!

## Foot Tryke Specific Accessories:

| | |
|---|---|
| ☐ | Knee Separator: 2” ☐ 5” ☐<br>(not compatible with blue bucket, grey bucket, or snappy seat) |
| ☐ | 9-inch Extender Tube 2” ☐ 5” ☐<br>(used with knee separator) |
| ☐ | Hi-Rise handlebars<br>5” (only 1412) ☐ 8” ☐ 12” ☐ 23” ☐ |
| ☐ | ½ “ Exercise Pedals (cannot be used with pedal blocks and footcups)<br>Models:1412,1416, 1420, 1420XL |
| ☐ | ½” Expanding Pedals [Models: 1412, comes standard on 1416, 1420, 1420XL] |
| ☐ | Rear steering kit with rear disk brake [Models: 1416, 1420, 1420XL]<br>(cannot be used with dual hand brake- caregiver activates rear brake) |
| ☐ | Dual hand brake with rear disk brake [Models: 1416, 1420, 1420XL]<br>(single lever- rider activates front and rear brakes) |
| ☐ | 3-speed kit/coaster brake [Models: 1416, 1420, 1420XL]<br>(pedaling backward activates brake) |
| ☐ | Calf & Leg supports [Models: 1416, 1420, 1420XL] |

**Please make sure to select generic accessories at beginning of form**

**Foot Trykes:** please check the box for your tryke selection.

| | |
|---|---|
| | **1410** Foot Tryke-<br>comes standard with 10-inch wheels, fixed drive, and rear steering |
| ☐ | **Option 1:** Standard seating system: Blue bucket seat |
| ☐ | **Option 2:** Snappy Seat system<br><br>Accessories for Snappy: Laterals ☐ Head Rest ☐ |
| | **1410 Accessories:**<br><br>Separator Cube ☐ |

| | |
|---|---|
| | **ProSeries 1412** Foot Tryke-<br>Comes standard with 12-inch wheels, fixed drive, and rear steering |
| ☐ | **Option 1:** Standard seating system: Medium Pommel Saddle Seat and 1600 simple seat back<br><br>Seat options: Bench Seat ☐ Large Pommel ☐ Saddle Seat ☐ |
| ☐ | ~~**Option 2:**~~ 1400 ProSeries Seat Back System- (push grip, back pad, medium pommel and lateral supports)<br><br>Seat options: Bench Seat ☐ Large Pommel ☐ Saddle Seat ☐<br><br>ProSeries Accessories:<br><br>Full Padded Back ☐ Head Rest ☐ Lumbar Pad ☐ Recumbent Post (10 deg) ☐ |
| ☐ | **Option 3:** Gray Bucket Seat |
| ☐ | **Option 4:** Snappy Seat System (be sure of measurements) |

NO LONGER AVAILABLE

Capital City AMBUCS (Actualizado 7/2025)
Escanee la solicitud y la foto en formato PDF y envíela por correo electrónico a info@capitalcityambucs.org
Su capítulo local debe recibir este formulario, junto con la evaluación y el formulario de selección de tryke, antes de que se considere la colocación.

Amtryke
Adaptive Trykes for Amazing People!

| | |
|---|---|
| ☐ | Seat options:<br>Bench Seat ☐ Medium Pommel ☐ Tractor Seat with bracket ☐ Saddle Seat ☐<br>ProSeries Accessories:<br>Full Padded Back ☐ Head Rest ☐ Lumbar Pad ☐ Recumbent Post (10 deg) ☐ |
| ☐ | **Option 2:** 1600 Simple Seat back with large pommel saddle seat<br>Seat options:<br>Bench Seat ☐ Medium Pommel ☐ Tractor Seat with bracket ☐ Saddle Seat ☐ |
| | _____<br>Wheelchair seat option discontinued<br>_____ |
| | _____<br>_____ |

## Recumbent Tryke Specific Accessories:

| | |
|---|---|
| ☐ | Exercise pedals<br>(cannot be used with pedal blocks and footcups) |
| ☐ | XL exercise pedals<br>(cannot be used with pedal blocks and footcups) |
| ☐ | 9/16 expanding pedals |
| ☐ | Basket<br>(JT models only) |
| ☐ | Toe clips<br>(only compatible with standard bike pedals) |
| ☐ | Dual Hand Brake |

**Recumbent Foot Trykes:** please check the box for your tryke selection.

| | |
|---|---|
| ☐ | **JT-2000** Recumbent Foot Tryke-<br>Comes standard with 14-speed shifter, rider must be able to brake, steer, and change gears independently |
| ☐ | **JT-2300** Recumbent Foot Tryke-<br>Comes standard with 14-speed shifter with under the seat steering, rider must be able to brake, steer, and change gears independently |
| ☐ | **TP-3000 Tadpole** Recumbent Foot Tryke-<br>Comes standard with 7-speed shifter with under the seat steering, rider must be able to brake, steer, and change gears independently |

Amtryke
Adaptive Trykes for Amazing People!

**Rider's Name:** _____

## Hand and Hand-Foot Tryke Specific Accessories:

| | |
|---|---|
| ☐ | Knee Separator: 2" ☐ 5" ☐<br>(only on AM12 and AM16) |
| ☐ | 9-inch extender tube (used with knee separator) 2" ☐ 5" ☐ |
| ☐ | Vertical Hand Grips [Models: AM10, AM12s, AM12, AM16] |
| ☐ | 9/16th inch exercise pedals [Models: AM12s, AM12, AM16] |
| ☐ | Foot platform→ converts Hand-Foot to Hand only<br>(only compatible with AM10, AM12, AM12s, and AM16) |

**Please make sure to select generic accessories at beginning of form**

**Hand-Foot Trykes**: please check the box for your tryke selection.

| | |
|---|---|
| **AM-10** Hand-Foot Tryke-<br>Comes standard with 10 inch wheels, 2.5 inch crank arms, and rear steering kit | |
| ☐ | **Option 1:** Blue Bucket Seat |
| ☐ | **Option 2:** Snappy Seat System<br><br>Snappy Accessories:<br><br>Head Rest ☐ Laterals ☐ |
| | **AM-10 Accessories:**<br><br>Separator Cube ☐ |

| | |
|---|---|
| **AM-12s** Hand-Foot Tryke-<br>Comes standard with 12 inch wheels, 3 inch crank arms, saddle seat, and rear steering kit | |
| ☐ | **Option 1:** 1600 Seat back with saddle seat<br><br>Seat Options: Bench Seat ☐ Medium Pommel ☐ Large Pommel ☐ |
| ☐ | **Option 2:** ProSeries 1400 Seat back system (push grip, back pad, saddle seat, and lateral supports)<br><br>Seat options:<br><br>Bench Seat ☐ Medium Pommel ☐ Large Pommel ☐<br><br>ProSeries Accessories:<br><br>Full Padded Back ☐ Head Rest ☐ Lumbar Pad ☐ |
| ☐ | **Option 3:** Blue Bucket Seat<br><br>Blue bucket Accessories: Separator Cube ☐ |

Adaptive Trykes for Amazing People!

| | |
|---|---|
| ☐ | **Option 4:** Snappy Seat System<br><br>Snappy Accessories:<br><br>Head Rest ☐ Laterals ☐ Separator Cube ☐ |

| | |
|---|---|
| **AM-12** Hand-Foot Tryke:<br>Comes standard with 12 inch wheels, 4 inch crank arms, and rear steering kit | |
| ☐ | **Option 1**: 1600 Seat back with saddle seat<br><br>Seat Options: Bench Seat ☐ Medium Pommel ☐ Large Pommel ☐ |
| ☐ | **Option 2:** ProSeries 1400 Seat back system (push grip, back pad, saddle seat, and lateral supports)<br><br>Seat options:<br><br>Bench Seat ☐ Medium Pommel ☐ Large Pommel ☐<br><br>ProSeries Accessories:<br><br>Full Padded Back ☐ Head Rest ☐ Lumbar Pad ☐ |
| ☐ | **Option 3:** Gray Bucket Seat |
| ☐ | **Option 4**: Snappy Seat System (please check measurements)<br><br>Snappy Accessories:<br><br>Head Rest ☐ Laterals ☐ Separator Cube ☐ |

| | |
|---|---|
| **AM-16** Hand-Foot Tryke-<br>Comes standard with 16 inch wheels, 5 inch crank arm, and rear steering kit | |
| ☐ | **Option 1**: 1600 Seat back with saddle seat<br><br>Seat Options: Bench Seat ☐ Medium Pommel ☐ Large Pommel ☐<br><br>Tractor Seat ☐ |
| ☐ | **Option 2:** ProSeries 1400 Seat back system (push grip, back pad, saddle seat, and lateral supports)<br><br>Seat options:<br><br>Bench Seat ☐ Medium Pommel ☐ Large Pommel ☐ Tractor Seat ☐<br><br>ProSeries Accessories:<br><br>Full Padded Back ☐ Head Rest ☐ Lumbar Pad ☐ |
| ☐ | **Option 3:** Gray Bucket Seat |
| | **AM-16 Accessories:** XL exercise pedals ☐ |

Capital City AMBUCS (Actualizado 7/2025)
Escanee la solicitud y la foto en formato PDF y envíela por correo electrónico a info@capitalcityambucs.org
Su capítulo local debe recibir este formulario, junto con la evaluación y el formulario de selección de tryke, antes de que se considere la colocación.

Amtryke
Adaptive Trykes for Amazing People!

**Hand Cycles:** please check the box for your tryke selection.

| | |
|---|---|
| **1020 "Junior"** Hand Tryke-<br>Comes standard with 20 inch wheels and 3-speed drive train. Rider should be able to steer, brake, and change gears independently. | |
| ☐ | **Option 1:** Small Wheelchair Seat<br><br>Seat Alternatives: Large wheelchair seat ☐ |
| | **1020 Accessories:**<br><br>Wheelchair seat bar ends ☐ Swing away arms ☐ |

| | |
|---|---|
| **1024** Hand Tryke-<br>Comes standard with 24 inch wheels and 3-speed drive train. Rider should be able to steer, brake, and change gears independently. | |
| ☐ | **Option 1:** Large Wheelchair Seat<br><br>Seat Alternatives: Small wheelchair seat ☐ |
| | **1024 Accessories:**<br><br>Wheelchair seat bar ends ☐ Swing away arms ☐ |